AUTHOR INDEX

Abad-Esteve A., see Rosell-Costa, 345
Abate G., Comella P., Di Pietro N., Ganzina F., Pergola M., Silvestro P., Basso A., Salvatore M., Zarrilli D.: Epirubicin in combination chemotherapy in the treatment of advanced stage non-Hodgkin's lymphomas, 43
Accomando E., see Merlano, 341
Aiuti F., see Parrinello, 397
Alberola-Candel V., see Lluch-Hernandez, 467
Alloisio M., see Pastorino, 139
——, see Badiali, 525
Ambrogi F., see Carulli, 639
Ammatuna M., see Ravera, 375
Ancona R., see Ciatto, 457
Andreola S., Audisio R.A., Lombardi L.: A light microscopic and ultrastructural study of spindle-shaped hepatocellular carcinoma, 195
Andreola S., Audisio R.A., Mazzaferro V., Doci R., Milella M.: Spontaneous massive necrosis of a hepatocellular carcinoma, 203
——, see Marchesini, 11
——, see Sacchini, 19
——, see Audisio, 389
Andreoli C., Buranelli F., Campa T., Costa A., Magni A., Pizzichetta M., Ciatto S.: Chest X-ray survey in breast cancer follow-up: a contrary view, 463
Anghileri L.J., Robert J.: Effects of tumor necrosis factor on tumor cell plasma membrane permeability, 269
Anselmo A.P., see Cimino, 363
Ansuini G., see Montironi, 567
Anton-Torres A., see Lluch-Hernandez, 467
Antonaci S., see Jirillo, 481
Aparecida Coelho Arruda Henry M., see Sakate, 555
Ardito G., Lamberti L., Bigatti P., Cottino F.: Comparison of chromosome aberration frequency before and after administration of ^{131}I in two groups of thyroid cancer patients, 257
Aronne T., see Seminara, 69
Arosio P., see Ciriello, 37
Artoni S., see Brisigotti, 417
Ascari E., see Ucci, 445
Audisio H.A., Bombelli L., Lombardi L., Andreola S.: A clinico-pathologic study of clear-cell hepatocellular carcinoma, 389
Audisio R.A., Lodeville D., Quagliuolo V., Clemente C.: Sebaceous carcinoma arising from the eyelid and from extra-ocular sites, 531
——, see Andreola, 195, 203
Avella M., see Bacci, 331
Aversa S.M.L., see Fornasiero, 617
Avino-Viguer J., see Lluch-Hernandez, 467

Bacci G., Picci P., Orlandi M., Avella M., Manfrini M., Pignatti G., Dallari D., Manduchi R.: Prognostic value of serum alkaline phosphatase in osteosarcoma, 331
Badiali P., Alloisio M., Lombardi L.: Synchronous triple carcinoma of the lung in one patient, 525

Baicchi U., see Carulli, 639
Balli M., see Jirillo, 481
——, see Demicheli, 505
Bandelloni R., see Parazzi, 33
Bandieramonte G., see Sacchini, 19
Bar J.K., see Rabczynski, 539
Barbazza R., see Dal Fabbro, 187
Barbieri E., see Zinzani, 121
Bardella L., see Supino, 109
——, see Schiaffonati, 559
Barni S., Lissoni P., Tancini G., Crispino S., Paolorossi F., Rovelli F., Fumagalli G., Ferri L., Esposti D., Esposti G., Fraschini F.: Acute effects of various chemotherapeutic combinations on hypophyseal and pineal hormone secretions in cancer patients, 181
Barni S., Frigerio F., Lissoni P., Crispino S., Paolorossi F.: Anal squamous cell carcinoma arising on radio-dermatitis cured with chemotherapy alone: case report, 423
——, see Lissoni, 263, 475
Barone D., see Parazzi, 33
Bartolucci R., see Di Costanzo, 493
Baruzzi G., see Collina, 407
Basso A., see Abate, 43
Battaglia A., see Fornasiero, 617
Beccati D., see Rosti, 413
Bedini A.V., Cataldo I., Valente M., Ravasi G.: Five-year recurrence probabilities in 330 patients curatively resected for stage Ia bronchogenic carcinoma, 131
——, see Pastorino, 139
——, see Muscolino, 233
Belli F., see Marolda, 575
Bellomi M., see Severini, 635
Belloni C., see Bolis, 309
Beretta R., see Damiani, 487
Bernelli Zazzera A., see Schiaffonati, 559
Bertetto O., Dongiovanni V., Clerico M., Calciati A.: Phase II trial of weekly 4'-epidoxorubicin (epirubicin) in squamous cell carcinoma of the head and neck, 65
Bertiond G., see Cappa, 219
Bertolini A., see Damiani, 487
Bhatavdekar J.M., Vora H.H., Goyal A., Shah N.G., Karelia N.H., Trivedi S.N.: Significance of ferritin as a marker in head and neck malignancies, 59
Bianco A.R., see Iaffaioli, 517
——, see Contegiacomo, 611
Biener L., see Liberati, 601
Bigatti P., see Ardito, 257
Bindi M., Trusso M., Tucci E.: Intracavitary cisplatin in malignant cardiac tamponade, 163
Bisol A., see Raina, 359
Boffetta P., see Cappa, 219
Böhm S., see Oriana, 337
Boiocchi M., see Veronese, 295
Bolis G., Colombo N., Epis A., Mangili G., Vassena L., Vergadoro F., Belloni C.: Methotrexate with citrovorum factor in low-risk gestational trophoblastic tumor, 309
Bombelli L., see Audisio, 389
Bonadonna G., see Zambetti, 369
Bonciarelli G., see Jirillo, 481
——, see Demicheli, 505
Bonomini M.G., see Ciatto, 457
Borghini U., see Clerici, 627
——, see Soresi, 623
Borraccino V., see Resta, 249
Bottiroli G., see Marchesini, 11
Botturi M., see Soresi, 623

Botturri F., see Clerici, 627
Bozzetti F., see Ravera, 375
Bradford Patterson W., see Liberati, 601
Brambilla C., see Zambetti, 369
Brisigotti M., Fabbretti G., Lanzanova G., Russo Brugneri E., Presutti L., Artoni S.: Atypical carcinoid of the larynx: case report, 417
Brugia M., see Di Costanzo, 493
Brugiatelli M., see Morabito, 523
Brunetti I., see Merlano, 341
Buranelli F., see Andreoli, 463
Burke P., see Ciatto, 457
Buzzi F., see Di Costanzo, 493

Cabibbo E., see Casadei, 75
Cairo G., see Supino, 109
——, see Schiaffonati, 559
Calciati A., see Bertetto, 65
Caldarone R., see Lorenzi, 289
Callea A., see Rosti, 413
Callea V., see Morabito, 523
Camagni S., Canevari S., Ripamonti M., Mezzanzanica D., Orlandi R., Colnaghi M.I.: The effect of human serum on the binding activity of radiolabelled monoclonal antibodies, 547
Campa T., see Andreoli, 463
Candiloro V., see Gebbia, 279
Canestrari F., see Stocchi, 25
Canevari S., see Camagni, 547
Capece Minutolo M., see Lauta, 351
Caponigro F., see Iaffaioli, 517
Cappa A.P.M., Bertiond G., Colombo A., Faggiano F., Gussio M., Merletti F., Terracini B., Toniolo P., Boffetta P.: Incidence of breast cancer in Piedmont: 1979-1981, 219
Cappa A.P.M., see Merletti, 229
Carbone A., see Veronese, 295
Carbone A., Manconi R., Sulfaro S., Vaccher E., Zagonel V., Poletti A., Volpe R., Tirelli U., Monfardini S.: Practical importance of routine paraffin-embedded bone marrow biopsy in multiple myeloma, 315
Carinelli S.G., Cefis F., Merlo D.: Epithelial neoplasia of the endometrium in pregnancy. A case report, 175
Carli M., see Perilongo, 213
Cartoni C., see Cimino, 363
Carulli G., Marini A., Baicchi U., Simi P., Papineschi F., Ambrogi F.: Chronic lymphocytic leukemia in the course of polycythemia vera. Description of a case with unusual chromosomal anomaly, 639
Casadei G.P., Grigolato P., Cabibbo E.: Blue nevus of the endocervix. A study of five cases, 75
Cascinelli N., see Sacchini, 19
——, see Marolda, 575
Cassano E., see Ucci, 445
Castello M., see Mosso, 209
Castello M.A., see Ceccamea, 85
Cataldo I., see Bedini, 131
——, see Pastorino, 139
Cattaneo G., see Lissoni, 475
Cattaneo M.T., see Damiani, 487
Cavalli F., see Damiani, 487
Cavanna L., see Livraghi, 507
Cazzola M., see Ciriello, 37
——, see Pedrazzoli, 117

Ceccamea A., Dominici C., Clerico A., Ferrante E., Vignetti P., Castello M.A.: Bilateral rhabdomyomatous tumor relapsed as typical triphasic Wilms' tumor, 85
Cecchettin M., see Manente, 191
Cecchetto G., see Perilongo, 213
Cefis F., see Carinelli, 175
Cervantes-Ruiperez A., see Lluch-Hernandez, 467
Chessa A., see Sulis, 55
Chiarugi C., see Reali, 127
Chiò A., see Schiffer, 585
Ciampi A., see Franchin, 381
Ciardi C., see Reali, 127
Ciatto S., Herd Smith A., Di Maggio C., Pescarini L., Lattanzio E., Ancona A., Punzo C., De Leo G., Burke P., Bonomini M.G., Melaranci P.: Breast cancer diagnosis under the age of forty years, 457
Ciatto S., see Andreoli, 463
Cimino G., Anselmo A.P., Cartoni C., Guglielmi C., Lo Coco F., Mancini M., Maurizi Enrici R., Papa G., Mandelli F.: Secondary acute non lymphoid leukemia in patients treated for non Hodgkin's lymphoma: no risk of therapy-related ANLL after PROVECIP schedule, 363
Ciriello M.M., Cazzola M., Dezza L., Levi S., Arosio P.: Measurement of ferritin-bearing lymphocytes in man. Preliminary studies on the use of monoclonal antibodies specific for L and H subunits of ferritin, 37
Cislo M., see Rabczynski, 539
Ciudad-Platero J., see Lluch-Hernandez, 467
Clemente C., see Audisio, 531
Clerici M., Soresi E., Zucali R., Borghini U., Vergani C., Leoni M., Botturri F., Luporini G.: Radiotherapy versus radiotherapy plus cisplatin treatment for locally advanced non small cell lung cancer. Preliminary results of a randomized study, 627
Clerico A., see Ceccamea, 85
Clerico M., see Bertetto, 65
Codacci Pisanelli G., see Seminara, 69
Colella R., see Perilongo, 213
Coletti G., see Ventura, 655
Colleselli P., see Perilongo, 213
Collina G., Baruzzi G., Eusebi V.: Inflammatory pseudotumor of the liver: report of two cases, 407
Colnaghi M.I., see Camagni, 547
Colombo A., see Cappa, 219
Colombo N., see Bolis, 309
Comella P., see Abate, 43
Comelli A., see Perilongo, 213
Conte N., see Manente, 191
Contegiacomo A., Fiorillo L., De Placido S., Pagliarulo C., Iaffaioli R.V., Genua G., Giampaglia F., Palmieri G., Bianco A.R.: The treatment of metastatic pleural effusions in breast cancer: report of 25 cases, 611
Cordero di Montezemolo, see Perilongo, 213
Corvò R., see Secco, 151
Costa A., see Andreoli, 463
Cottino F., see Ardito, 257
Cozzi G., see Severini, 635
Crispino S., see Barni, 181, 423
——, see Lissoni, 263, 475
Crivellari D., see Franchin, 381
Cruciani G., Tienghi A., Molinari A.L., Fiorentini G., Rosti G., Turci D., Marangolo M.: Cyclophosphamide, methotrexate, 5-fluorouracil, alternating with adriamycin and mitomycin C in metastatic breast cancer: A pilot study, 303
Cruciani G., Molinari A.L., Marangolo M., Morelli M., Gnani G., Mazzotti A., Mauro F.: Applicability of local hyperthermia as adjuvant to systemic chemotherapy, 629

D'Alessandro E., Paterlini P., Menaguale L., Lo Re M.L., Del Porto G., Quaglino D.: Unusual interstitial deletion of the 8q12 band a case of acute monocytic leukemia, 437
D'Amelio R., see Seminara, 69
D'Amore E., see Parazzi, 33
D'Ascola D., see Morabito, 523
Dachà M., see Stocchi, 25
Dachà U., see Stocchi, 25
Dal Bo V., see Veronese, 295
Dal Fabbro S., Monari G., Barbazza R.: A thyroid metastasis revealing an occult renal clear-cell carcinoma, 187
Dalla Palma P., see Dante, 425
Dallari D., see Bacci, 331
Damiani E., Cattaneo M.T., Sessa C., Zucca E., Cavalli F., Bertolini A., Libretti A., Beretta R.: Enzymuria in carboplatin nephrotoxicity, 487 ;
Daniele O., see Fornasiero, 617
Danova M., see Ucci, 445
Dante S., Viale G., Dalla Palma P.: Gangliocytic paraganglyoma of the duodenum: case report, 425
De Benedictis G., see Resta, 249
De Leo G., see Ciatto, 457
De Palo G., see Spatti, 157
De Paoli A., see Franchin, 381
De Pasquale A., Di Francesco A., Ricciotti M., Quaglino D.: Burkitt-like lymphoid malignancy presenting as a breast tumor, 167
De Placido S., see Contegiacomo, 611
Decarli A., La Vecchia C.: The probability of cancer death in Italian males and females, 91
Decarli A., La Vecchia C.: Cancer mortality in Italy, 1981, 321
Del Ben L., see Franchin, 381
Del Porto G., see D'Alessandro, 437
Della Porta G., Dragani T.A., Sozzi G.: Carcinogenic effects of infantile and long-term 2,3,7,8-tetrachlorodibenzo-p-dioxin treatment in the mouse, 99
Demicheli R., Jirillo A., Bonciarelli G., Lonardi F., Balli M.: Phase II trial of mitomycin plus cisplatin in the treatment of advanced colorectal adenocarcinoma, 505
Demicheli R., see Jirillo, 481
Desogus A., see Sulis, 55
Dezza L., see Ciriello, 37
Di Carlo S., see Verdiani, 593
Di Costanzo F., Brugia M., Padalino D., Maragoni M., Proietti M.G., Bartolucci R., Buzzi F.: Cisplatin and low-dose cytosine arabinoside in advanced cancer, 493
Di Francesco A., see De Pasquale, 167
Di Maggio C., see Ciatto, 457
Di Pietro N., see Abate, 43
Di Prisco B., see Iaffaioli, 517
Di Re F., see Oriana, 337
Di Tullio M.T., see Mosso, 209
Diaz-Rubio E., see Martin-Jimenez, 499
Discepoli S., see Ventura, 649
Disperati A., see Jirillo, 481
Disperati A., see Jirillo, 481
Doci R., see Andreola, 203
——, see Severini, 635
Dominici C., see Ceccamea, 85
Donati E., see Reali, 127
Dongiovanni V., see Bertetto, 65
Dragani T.A., see Della Porta, 99

Eldh J., Suurkula M., Holmström H.: Prognosis for localized cutaneous melanoma treated with wide excision only, with special reference to development of regional node metastases, 51
Emiliani E., see Zinzani, 121
Epis A., see Bolis, 309
Esposti D., see Barni, 181
——, see Lissoni, 263, 475
Esposti G., see Barni, 181
——, see Lissoni, 263, 475
Eusebi V., see Collina, 407

Fabbretti G., see Brisigotti, 417
Fabrizio T., see Sacchini, 19
Faggiano F., see Cappa, 219
Faravelli B., see Parazzi, 33
Fardelli R., see Secco, 151
Fava G., see Marchesini, 11
Fernandez Marcial C., see Rosell Costa, 345
Ferrante E., see Ceccamea, 85
Ferrante F., see Raina, 359
Ferri L., see Barni, 181
——, see Lissoni, 263
Fiorentini G., see Cruciani, 303
Fiorentino M.V., see Fornasiero, 617
Fiori G., see Raina, 359
Fiorilli M., see Parrinello, 397
Fiorillo L., see Contegiacomo, 611
Flandina C., see Gebbia, 279
Floris C., see Sulis, 55
Fornari F., see Livraghi, 507
Fornasiero A., Morandi P., Daniele O., Ghiotto C., Aversa S.M.L., Battaglia A., Fosser V., Fiorentino M.V.: High-dose medroxyprogesterone in disseminated breast cancer. Correlation between bioavailability and clinical response, 617
Foscolo G., see Manente, 191
Fossati Bellani F., see Mosso, 209
Fosser V., see Fornasiero, 617
Francavilla S., see Ventura, 649
Franchi F., see Seminara, 69
Franchin G., Crivellari D., Tumolo S., Scarabelli C., De Paoli A., Frustaci S., Ciampi A., Del Ben L., Talamini R., Trovò M., Grigoletto E.: Ovarian cancer: ten-year experience in a community hospital, 381
Francini M., see Veronese, 295
Fraschini F., see Barni, 181
——, see Lissoni, 263, 475
Fraschini G., Recchia F., Holmes F.A.: Syndrome of inappropriate antidiuretic hormone secretion associated with hepatic arterial infusion of vinblastine in three patients with breast cancer, 513
Frigerio F., see Barni, 423
Frigerio L., see Severini, 635
Frustaci S., see Franchin, 381
Fugiani P., see Monico, 147
Fumagalli G., see Barni, 181

Gagliano E., see Livraghi, 507
Gagliano M., see Gebbia, 279
Galazka A., see Marolda, 575
Galeone M., see Raina, 359

Gallo L., see Parazzi, 33
Gambacorta M., see Minola, 81
Gambacorti-Passerini C., see Marolda, 575
Ganzina F., see Abate, 43
Garcia-Conde J., see Lluch-Hernandez, 467
Garnis-Jones S., McLean D., Worth A.: Immunohistochemical localization of melanoma-associated antigen p94 kd200 with the use of a modified avidin-biotin-complex lectin method, 451
Gebbia N., Flandina C., Leto G., Tumminello F.M., Sanguedolce R., Candiloro V., Gagliano M., Rausa L.: The role of histamine in doxorubicin and teniposide-induced cardiotoxicity in dog and mouse, 279
Genua G., see Iaffaioli, 517
——, see Contegiacomo, 611
Gherlinzoni F., see Zinzani, 121
Ghiotto C., see Fornasiero, 617
Giacchi R., see Stocchi, 25
Giampaglia F., see Contegiacomo, 611
Giansanti M., see Monico, 147
Gibelli N., see Supino, 109, 431
Giordana M.T., see Schiffer, 585
Giordano F., see Livraghi, 507
Gnani G., see Cruciani, 629
Goyal A., see Bhatavdekar, 59
Greco A., see Lauta, 351
Grigolato P., see Casadei, 75
Grigoletto E., see Franchin, 381
Grimaldi A., see Merlano, 341
Guglielmi C., see Cimino, 363
Gussio M., see Cappa, 219

Harari S., see Soresi, 623
Harlozinska A., see Rabczynski, 539
Heinonen P.K., Kallioniemi O.P., Koivula T.: Comparison of CA 125 and placental alkaline phosphatase as ovarian tumor markers, 301
Herd Smith A., see Ciatto, 457
Holmes F.A., see Fraschini, 513
Holmström H., see Eldh, 51

Iaffaioli R.V., Caponigro F., Genua G., Montesarchio V., Di Prisco B., Bianco A.R.: An unusual case of primary hormone-secreting germ, cell tumor of the retroperitoneum, 517
Iaffaioli R.V., see Contegiacomo, 611
Infantolino D., see Manente, 191
Ippoliti G., see Pedrazzoli, 117

Jirillo A., Disperati A., Balli M., Bonciarelli G., Demicheli R., Antonaci S., Jirillo E.: Pilot study of intravenous administration of the acid-treated « Salmonella minnesota » R595 (Re) in cancer patients, 481
Jirillo A., see Demicheli, 505
Jirillo E., see Jirillo, 481
Josph C.D., see Kuttan, 29

Kallioniemi O.P., see Heinonen, 301
Karelia N.H., see Bhatavdekar, 59
Koivula T., see Heinonen, 301
Koppitch F., see Singal, 403
Koronel R., see Spatti, 157
Kuttan R., Sudheeran P.C., Josph C.D.: Turmeric and curcumin as topical agents in cancer therapy, 29

La Vecchia C., see Decarli, 91, 321
Lamberti L., see Ardito, 257
Lanzanova G., see Brisigotti, 417
Lattanzio E., see Ciatto, 457
Lauria F., see Zinzani, 121
Lauta V.M., Valerio G., Greco A., Capece Minutolo M.: Early-onset diagnosis of lung toxicity caused by cyclophosphamide, melphalan and procarbazine therapy, 351
Legnami F.A., see Parrinello, 397
Leocata P., see Ventura, 655
Leoncini R., see Lorenzi, 289
Leoni M., see Clerici, 627
——, see Soresi, 623
Leto G., see Gebbia, 279
Levi S., see Ciriello, 37
Liberati A., Bradford Patterson W., Biener L., McNeil B.J.: Determinants of physicians' preferences for alternative treatment in women with early breast cancer, 601
Libretti A., see Damiani, 487
Lissoni P., see Barni, 181, 423
Lissoni P., Paolorossi F., Barni S., Tancini G., Crispino S., Rovelli F., Ferri L., Esposti G., Esposti D., Fraschini F.: Correlation between changes in prolactin and melatonin serum levels after radical mastectomy, 263
Lissoni P., Barni S., Tancini G., Crispino S., Paolorossi F., Lucini V., Mariani M., Cattaneo G., Esposti D., Esposti G., Fraschini F.: Clinical study of melatonin in untreatable advanced cancer patients, 475
Livraghi T., Sangalli G., Giordano F., Ravetto C., Solbiati L., Fornari F., Cavanna L., Matricardi L., Gagliano E.: 240 hepatocellular carcinomas: ultrasound features, tumor size, cytologic and histologic patterns, serum alpha-fetoprotein and HBs Ag, 507
Lluch-Hernandez A., Cervantes-Ruiperez A., Anton-Torres A., Avino-Viguer J., Martinez-Agullo A., Mengual-Colomer F., Ciudad-Platero J., Alberola-Candel V., *Garcia-Conde J.: Adjuvant chemotherapy with adriamycin, fluorouracil, cyclo*phosphamide, methotrexate, with or without tamoxifen in operable breast cancer, 467
Lo Coco F., see Cimino, 363
Lo Re M.L., see D'Alessandro, 437
Lodeville D., see Audisio, 531
Loiacono F., see Mosso, 209
Lombardi L., see Andreola, 195
——, see Badiali, 525
Lonardi F., see Demicheli, 505
Lorenzi M., Vannoni D., Leoncini R., Caldarone R., Marinello E.: The determination of urinary oxypurines as markers of gastrointestinal tumors, 289
Lucchiari P.H., see Sakate, 555
Lucini V., see Lissoni, 475
Luini A., see Muscolino, 233
Lungarotti F., see Stocchi, 25
Luoni R., see Ucci, 445
Luporini G., see Clerici, 627

Macchia D., see Maggi, 273
Maggi E., Macchia D., Parronchi P., Milo D., Romagnani S.: Diminished production of interleukin 2 and gamma-interferon by cloned « T » cells from patients with the acquired immunodeficiency syndrome (AIDS), 273
Magni A., see Andreoli, 463
Menaguale L., see D'Alessandro, 437
Mancini A., see Perilongo, 213
Mancini M., see Cimino, 363
Manconi R., see Carbone, 315
Mandelli F., see Cimino, 363
Manduchi R., see Bacci, 331

Manente P., Cecchettin M., Infantolino D., Foscolo G., Conte N.: Apparently non-functioning metastases of parathyroid carcinoma, 191
Manfredi D., see Seminara, 69
Manfrini M., see Bacci, 331
Mangili G., see Bolis, 309
Manna A., see Sparaventi, 645
Maragoni M., see Di Costanzo, 493
Marangolo M., see Cruciani, 303
——, see Rosti, 413
——, see Cruciani, 629
Marchesini R., Melloni E., Bottiroli G., Andreola S., Fava G., Mella M., Savi G., Zunino F.: Topical administration of tetrasodium-meso-tetraphenylporphine-sulfonate (TPPS): correlation between drug penetration and depth of necrosis in skin of nude mice following red light irradiation, 11
Marchesini R., see Sacchini, 19
Mariani M., see Lissoni, 475
Marinello E., see Lorenzi, 289
Marini A., see Carulli, 639
Marino G., see Secco, 151
Mariuzzi G., see Montironi, 567
Marolda R., Belli F., Prada A., Villani F., Gambacorti-Passerini C., Galazka A., Parmiani G., Cascinelli N.: A phase I study of recombinant interleukin 2 in melanoma patients: toxicity and clinical effects, 575
Martinez-Agullo A., see Lluch-Hernandez, 467
Martin-Jimenez M., Diaz-Rubio E., Sangro B.: Results of two controlled studies on antiemetic combination against vomiting induced by 5-fluorouracil, 499
Martini E., see Ventura, 649
Masucci M.T., Petrillo A., Sica V.: « 4S » polycyclic aromatic hydrocarbon binding protein: Further characterization and kinetic properties, 237
Matricardi L., see Livraghi, 507
Maurizi Enrici R., see Cimino, 363
Mauro F., see Cruciani, 629
Mazza P., see Zinzani, 121
Mazzaferro V., see Andreola, 203
Mazotti A., see Cruciani, 629
McLean D., see Garnis-Jones, 451
McNeil B.J., see Liberati, 601
Melaranci P., see Ciatto, 457
Mella M., see Marchesini, 11
Melloni E., see Marchesini, 11
——, see Sacchini, 19
Meloni F., see Pedrazzoli, 117
Mengual-Colomer F., see Lluch-Hernandez, 467
Merendi R., see Rosti, 413
Merlano M., Grimaldi A., Brunetti I., Modenesi M., Accomando E., Rosso R.: High-dose cisplatin in the outpatient clinic; a feasibility study, 341
Merletti F., see Cappa, 219
Merletti F., Rosso S., Terracini B., Cappa A.P.M.: Cancer of the breast in women born in southern Italy and who migrated to the city of Torino, 229
Merlini G., see Ucci, 445
Merlo D., see Carinelli, 175
Mezzanzanica D., see Camagni, 547
Milella M., see Andreola, 203
Milillo F., see Resta, 249
Milo D., see Maggi, 273
Minola E., Gambacorta M.: Hemothorax in congenital neuroblastoma, 81
Modenesi M., see Merlano, 341
Molinari A.L., see Cruciani, 303, 629
Molinari E., see Ucci, 445
Monari G., see Dal Fabbro, 187
Monfardini S., see Carbone, 315

Monico S., Giansanti M., Fugiani P.: Cytodiagnosis of gastric cancer by brushing: 1978-1983, 147
Montesarchio V., see Iaffaioli, 517
Montironi R., Scarpelli M., Sisti S., Ansuini G., Pisani E., Mariuzzi G.: Prognostic value of computerized DNA analysis in non-invasive papillary carcinomas of the urinary bladder, 567
Morabito F., Callea V., Brugiatelli M., D'Ascola D., Palazzolo A., Neri A.: Non-Hodgkin's lymphoma associated with sickle cell disease: a case report, 523
Morandi P., see Fornasiero, 617
Morelli M., see Cruciani, 629
Mosso M.L., Castello M., Fossati Bellani F., Di Tullio M.T., Loiacono F., Paolucci G., Tamaro P., Terracini B., Pastore G.: Neurofibromatosis and malignant childhood cancers: A survey in Italy, 1970-83, 209
Muggiano A., see Sulis, 55
Mulieri M., see Seminara, 69
Muretto P., see Sparaventi, 645
Muscolino G., see Pastorino, 139
Muscolino G., Villani C., Bedini A.V., Luini A., Salvadori B.: Young age is not an ominous prognostic factor in breast cancer patients, 233

Nano R., see Supino, 431
Neri A., see Morabito, 523
Nobile M.T., see Secco, 151
Nosek H., see Pawlicki, 49
Nosenzo M., see Parazzi, 33
Novero D., see Schiffer, 585
Noworolska A., see Rabczynski, 539

Ongari M., see Pastorino, 139
Oriana S., Böhm S., Spatti G., Zunino F., Di Re F.: A preliminary clinical experience with reduced glutathione as protector against cisplatin-toxicity, 337
Orlandi M., see Bacci, 331
Orlandi R., see Camagni, 547
Orlando E., see Resta, 249

Padalino D., see Di Costanzo, 493
Pagliarulo C., see Contegiacomo, 611
Palazzi M., see Sparaventi, 645
Palazzolo A., see Morabito, 523
Palestro G., see Schiffer, 585
Palmieri G., see Contegiacomo, 611
Paolorossi F., see Lissoni, 263, 475
——, see Barni, 181, 423
Paolucci G., see Mosso, 209
Papa G., see Cimino, 363
Papetti C., see Parrinello, 397
Papineschi F., see Carulli, 575
Parazzi F., Faravelli B., Gallo L., Nosenzo M., Razzetti A., Barone D., Bandelloni R., D'Amore E.: Tissue polypeptide antigen (ATP) in pleural effusions, 33
Parmiani G., see Rodolfo, 1
——, see Marolda, 575
Parrinello A.E., Legnami F.A., Fiorilli M., Zecchinato F., Papetti C., Aiuti F.: Case report of a Burkitt-like lymphoma in a bisexual HIV-positive man, 397
Parronchi P., see Maggi, 273
Pastore G., see Mosso, 209
——, see Perilongo, 213
Pastorino U., Valente M., Alloisio M., Bedini V., Cataldo I., Muscolino G., Ongari M., Preda F., Ravasi G.: Current results of esophageal cancer surgery. Time trends in operative mortality and long term survival, 139

Paterlini P., see D'Alessandro, 437
Pawlicki M., Skolyszewski J., Stryjewska B., Nosek H.: Prognostic factors in advanced metastatic and recurrent melanoma treated with DTIC, 49
Pazzaglia C., see Sparaventi, 645
Pedrazzoli P., Cazzola M., Stella C.C., Ippoliti G., Meloni F.: Lymphoproliferative disorder of large granular lymphocytes: reversal of lymphocyte proliferation, anemia and neutropenia with chlorambucil, 117
Pergola M., see Abate, 43
Perilongo G., Carli M., Sainati L., Cecchetto G., Mancini A., Cordero di Montezemolo L., Comelli A., Colella R., Tamaro P., Colleselli P., Pastore G.: Undifferentiated (embryonal) sarcoma of the liver in childhood: Results of a retrospective Italian study, 213
Pescarini L., see Ciatto, 457
Petrillo A., see Masucci, 237
Pezzoni G., see Supino, 431
Picci P., see Bacci, 331
Pignatti G., see Bacci, 331
Pisani E., see Montironi, 567
Pizzichetta M., see Andreoli, 463
Poletti A., see Carbone, 315
Porcellini A., see Sparaventi, 645
Prada A., see Marolda, 575
Preda F., see Pastorino, 139
Presutti L., see Brisigotti, 417
Proietti M.G., see Di Costanzo, 493
Properzi G., see Ventura, 649
Punzo G., see Ciatto, 457

Quaglino D., see De Pasquale, 167
——, see D'Alessandro, 437
Quagliuolo V., see Audisio, 531
Quercetani R., see Reali, 127

Rabczynski J., Bar J.K., Noworolska A., Cislo M., Richter R., Harlozinska A.: Morphologic heterogeneity of cell population isolated by density gradient centrifugation from fluids of serous ovarian tumors, 539
Radaelli G., see Ravera, 375
Raina A., Ferrante F., Bisol A., Fiori G., Galeone M.: Cardiotoxicity during chemotherapy for advanced gastroenteric tumors, 359
Rappacciolo E., see Schiaffonati, 559
Rausa L., see Gebbia, 279
Ravasi G., see Bedini, 131
——, see Pastorino, 139
Ravera E., Bozzetti F., Ammatuna M., Radaelli G.: Impact of hospitalization on the nutritional status of cancer patients, 375
Ravetto C., see Livraghi, 507
Razzetti A., see Parazzi, 33
Reali U.M., Donati E., Quercetani R., Ciardi C., Chiarugi C.: Comparison of results with CO_2 laser and traditional surgical treatment of stage I malignant melanoma, 127
Recchia F., see Fraschini, 513
Regazzoni M., see Spatti, 157
Resta L., De Benedectis G., Scordari M.D., Orlando E., Borraccino V., Milillo F.: Hyperplasia and metaplasia of ovarian surface epithelium in women with endometrial carcinoma. Suggestoin for a hormonal influence in ovarian carcinogenesis, 249
Resti G., see Cruciani, 303
Ribas Mundo M., see Rosell Costa, 345

Riccardi A., see Ucci, 445
Ricciotti M., see De Pasquale, 167
Richter R., see Rabczynski, 539
Ripamonti M., see Camagni, 547
Robert J., see Anghileri, 269
Rodolfo M., Parmiani G.: Growth inhibition of murine colonic adenocarcinoma by tumor immune but not by IL-2-activated or alloactivated lymphocytes, 1
Roig Cutilles J., see Rosell Costa, 345
Romagnani S., see Maggi, 273
Rosell-Costa R., Abad-Esteve A., Roig Cutilles J., Solorzano I.M., Fernandez-Marcial C., Ribas Mundo M.: The role of combination cyclophosphamide, doxorubicin and cisplatin (CAP) chemotherapy in advanced non-small-cell lung cancer, 345
Rosso R., see Merlano, 341
Rosso S., see Merletti, 229
Rosti G., see Cruciani, 303
Rosti G., Callea A., Merendi R., Beccati D., Tienghi A., Turci D., Marangolo M.: Metastases to the submaxillary gland from breast cancer: case report, 413
Rovelli F., see Barni, 181
——, see Lissoni, 263
Russo Brugneri E., see Brisigotti, 417

Sacchini V., Melloni E., Marchesini R., Fabrizio T., Cascinelli N., Santoro O., Zunino F., Andreola S., Bandieramonte G.: Topical administration of tetrasodium-meso-tetraphenylporphinesulfonate (TPPS) and red light irradiation for the treatment of superficial neoplastic lesions, 19
Sainati L., see Perilongo, 213
Sakate M., Vercesi L., Aparecida Coelho Arruda Henry M., Lucchiari P.H.: Polarography of Walker tumor submitted to radioeherapy, 555
Salvadori B., see Muscolino, 233
Salvatore M., see Abate, 43
Sangalli G., see Livraghi, 507
Sangro B., see Martin-Jimenez, 499
Sanguedolce R., see Gebbia, 279
Santiemma V., see Ventura, 649
Santopietro R., see Verdiani, 593
Santoro O., see Sacchini, 19
Savi G., see Marchesini, 11
Scarabelli C., see Franchin, 381
Scarpati D., see Secco, 151
Scarpelli M., see Montironi, 567
Schiaffonati L., Bardella L., Cairo G., Rappocciolo E., Tacchini L., Bernelli-Zazzera A.: Constitutive and induced synthesis of heat shock proteins in transplantable hepatomas, 559
Schiaffonati L., see Supino, 109
Schiffer D., Cioò A., Giordana M.T., Novero D., Palestro G., Soffietti R., Vasario E.: Primary lymphomas of the brain: a clinico-pathologic review of 37 cases, 585
Scoccia S., see Soresi, 623
Scordari M.D., see Resta, 249
Sebastiani M., see Stocchi, 25
Secco G.B., Sertoli M.R., Scarpati D., Marino G., Fardelli R., Nobile M.T., Corvò R.: Preoperative chemotherapy and radiotherapy in the management of epidermoid carcinoma of the anal canal, 151
Seminara P., Franchi F., Mulieri M., D'Amelio R., Codacci Pisanelli G., Aronne T., Manfredi D.: Anthracycline in colorectal carcinoma: an in vitro short-term assay to predict drug sensitivity. Preliminary results, 69
Sertoli M.R., see Secco, 151
Sessa C., see Damiani, 487
Severini A., Cozzi G., Bellomi M., Frigerio L., Doci R.: A new set for transhepatic insertion of large caliber catheters for biliary drainage: technical and clinical report, 635

Sforza V., see Verdiani, 593
Shah N.G., see Bhatavdekar, 59
Shah-Reddy I., see Singal, 403
Sica V., see Masucci, 237
Silvestro P., see Abate, 43
Simi P., see Carulli, 639
Singal U., Shah-Reddy I., Koppitch F.: Trisomy 21 in acute promyelocytic leukemia, 403
Sisti S., see Montironi, 567
Skolyszewski J., see Pawlicki, 49
Soffietti R., see Schiffer, 585
Solbiati L., see Livraghi, 507
Solorzano I.M., see Rosell Costa, 345
Soresi E., Borghini U., Harari S., Scoccia S., Torre M., Botturi M., Leoni M.: Cisplatin and radiotherapy in the treatment of unresectable lung cancer, 623
Soresi E., see Clerici, 627
Sozzi G., see Della Porta, 99
Sparaventi G., Manna A., Muretto P., Pazzaglia C., Palazzi M., Porcellini A.: Malignant melanoma of the glans penis in a chronic myeloid leukemia patient after busulfan therapy, 645
Spatti G., see Oriana, 337
Spatti G., Regazzoni M., Koronel R., Zecchini A.M., De Palo G.: Adjuvant treatment with melphalan in ovarian carcinoma with no residual disease followig surgery, 157
Spriano P., see Ucci, 445
Stella C.C., see Pedrazzoli, 117
Stocchi V., Canestrari F., Giacchi R., Sebastiani M., Lungarotti F., Dachà U., Dachà M.: Adenine and pyridine nucleotides in the red blood cells of subjects with solid tumors, 25
Stryjewska B., see Pawlicki, 49
Sudheeran P.C., see Kuttan, 29
Sulfaro S., see Carbone, 315
Sulis E., Floris C., Chessa A., Desogus A ., Muggiano A., Tedde A., Turno R.: Sequential treatment with interferon and chemotherapy of metastatic malignant melanoma. Total remission of cutaneous and visceral metastasis, but not of cerebral metastasis, 55
Supino R., Bardella L., Gibelli N., Cairo G., Schiaffonati L.: Interaction of heat with chemotherapy in vitro: effect on cell viability and protein synthesis in human and murine cell lines, 109
Supino R., Gibelli N., Nano R., Pezzoni G., Zunino F.: In vitro and in vivo studies of poly-L-lysine as inducer of Friend leukemic cells differentiation, 431
Suurkula M., see Eldh, 51

Tabanelli M., see Zinzani, 121
Tacchini L., see Schiaffonati, 559
Talamini R., see Franchin, 381
Tamaro P., see Mosso, 209
——, see Perilongo, 213
Tancini G., see Barni, 181
——, see Lissoni, 263, 475
——, see Zambetti, 369
Tedde A., see Sulis, 55
Terracini B., see Mosso, 209
——, see Cappa, 219
——, see Merletti, 229
Tienghi A., see Cruciani, 303
——, see Rosti, 413
Tirelli U., see Carbone, 315
Toniolo P., see Cappa, 219
Torre M., see Soresi, 623

Trivedi S.N., see Bhatavdekar, 59
Trovò M., see Franchin, 381
Trusso M., see Bindi, 163
Tucci E., see Bindi, 163
Tumminello F.M., see Gebbia, 279
Tumolo S., see Franchin, 381
Tura S., see Zinzani, 121
Turci D., see Cruciani, 303
——, see Rosti, 413
Turno R., see Sulis, 55

Ucci G., Riccardi A., Luoni R., Spriano P., Merlini G., Danova M., Cassano E., Molinari E., Ascari E.: Serum thymidine kinase and beta-2-microglobulin in monoclonal gammopathies, 445

Vaccher E., see Carbone, 315
Valente M., see Bedini, 131
——, see Pastorino, 139
Valerio G., see Lauta, 351
Vannoni D., see Lorenzi, 289
Vasario E., see Schiffer, 585
Vassena L., see Bolis, 309
Ventura T., Discepoli S., Coletti G., Leocata P., Francavilla S., Properzi G., Santiemma V., Martini E.: Sertoli cell tumor of the testis: light microscopic, immunocytochemical and ultrastructural study, 649
Vercesi L., see Sakate, 555
Verdiani P., Di Carlo S., Sforza V., Santopietro R.: Non-Hodgkin's lymphoma primarily involving the bronchial tree, 649
Vergadoro F., see Bolis, 309
Vergani C., see Clerici, 627
Veronese S., Volpe R., Dal Bo V., Francini M., Carbone A., Boiocchi M.: Proliferative activity in human urologic malignancies: A preliminary study, 295
Viale G., see Dante, 425
Vignetti P., see Ceccamea, 85
Villani C., see Muscolino, 233
Villani F., see Marolda, 575
Volpe R., see Veronese, 295
——, see Carbone, 315
Vora H.H., see Bhatavdekar, 59

White L.: Heterotransplantation of human acute T-lymphoblastic leukaemia in nude mice, 537
Worth A., see Garnis-Jones, 451

Zambetti M., Brambilla C., Tancini G., Bonadonna G.: Aminoglutethimide in postmenopausal breast cancer refractory to multiple hormonal and cytostatic treatments, 369
Zagonel V., see Carbone, 315
Zarrilli D., see Abate, 43
Zecchinato F., see Parrinello, 397
Zecchini A.M., see Spatti, 157
Zinzani P.L., Gherlinzoni F., Lauria F., Mazza P., Barbieri E., Emiliani E., Tabanelli M., Tura S.: Intensive chemotherapy regimen in high-grade non Hodgkin's lymphomas, 121
Zucali R., see Clerici, 627
Zucca E., see Damiani, 487
Zunino F., see Marchesini, 11
——, see Sacchini, 19
——, see Oriana, 337
——, see Supino, 431

SUBJECT INDEX

Adenine, — and pyridine nucleotides in the red blood cells of subjects with solid tumors, 25
Adenocarcinoma, Growth inhibition of murine colonic — by tumor immune but not by IL-2-activated or alloactivated lymphocytes, 1
——, Phase II trial of mitomycin plus cisplatin in the treatment of advanced colorectal —, 505
Adriamycin, Cyclophosphamide, methotrexate, 5-fluorouracil, alternating with — and mitomycin C in metastatic breast cancer. A pilot study, 303
——, Adjuvant chemotherapy with —, fluorouracil, cyclophosphamide, methotrexate, with or without tamoxifen in operable breast cancer, 467
AIDS, Diminished production of interleukin 2 and gamma-interferon by cloned « T » cells from patients with the acquired immunodeficiency syndrome (AIDS), 273
——, Case report of a Burkitt-like lymphoma in a bisexual HIV-positive man, 397
Alkaline phosphatases, Comparison of CA 125 and placental — — as ovarian tumor markers, 301
——, Prognostic value of serum — — in osteosarcoma, 331
Alpha-fetaprotein, 240 hepatocellular carcinomas: ultrasound features, tumor size, cytologic and histologic patterns, serum — and HBsAg, 507
Aminoglutethimide, — in postmenopausal breast cancer refractory to multiple hormonal and cytostatic treatments, 369
Antiemetic combination, Results of two controlled studies on — — against vomiting induced by 5-fluorouracil, 499
Antigen, Tissue polypeptide antigen (TPA) in pleural effusions, 33
——, Immunohistochemical localization of melanoma-associated — p94 kd200 with the use of a modified avidin-biotin-complex lectin method, 451
——, 240 hepatocellular carcinomas: ultrasound features, tumor size, cytologic and histologic patterns, serum alpha-fetoprotein and HBs Ag, 507
Anthracycline, — in colorectal carcinoma; an in vitro short-term assay to predict drug sensitivity. Preliminary results, 69
Aromatic hydrocarbon, « 4S » polycyclic — — binding protein: Further characterization and kinetic properties, 237
Avidin-biotin complex, Immunohistochemical localization of melanoma-associated antigen p94 kg200 with the use of o modified — lectin method, 451
Beta-2-microglobulin, Serum thymidine kinase and — in monoclonal gammopathies, 445
Biliary drainage, A new set of transhepatic insertion of large caliber catheters for —; technical and clinical report, 635
Blue nevus, — of the endocervix, 75
Bone marrow, Practical importance of a routine paraffin-embedded — biopsy in multiple myeloma, 315
Brain, Sequential treatment with interferon and chemotherapy of metastatic malignant melanoma. Total remission of cutaneous and visceral metastasis, but not of brain metastasis, 55
——, Primary lmphomas of the brain: a clinico-pathologic review of 37 cases, 585
Breast, Burkitt-like lymphoid malignancy presenting as a — tumor, 167
——, Incidence of — cancer in Piedmont 1979-1981, 219
——, Cancer of the — in women born in southern Italy and who migrated to the city of Torino, 229

Breast, Young age is not an ominous prognostic factor in — cancer patients, 233
——, Correlation between changes in prolactin and melatonin in serum levels after radical mastectomy, 263
——, Cyclophosphamide, methotrexate, 5-fluorouracil, alternating with adriamycin and mitomycin C in metastatic — cancer: a pilot study, 303
——, Aminoglutethimide in postmenopausal — cancer refractory to multiple hormonal and cytostatic treatments, 369
——, Metastases to the submaxillary gland from — cancer. Case report, 413
——, — cancer diagnosis under the age of forty years, 457
——, Chest X-ray survey in — cancer follow-up — a contrary view, 463
——, Adjuvant chemotherapy with adriamycin, fluorouracil, cyclophosphamide, methotrexate, with or without tamoxifen in operable — cancer, 467
——, Syndrome of inappropriate antidiuretic hormone secretion associated with hepatic arterial infusion of vinblastine in three patients with — cancer, 513
——, Determinance of physicians' preferences for alternative treatments in women with early — cancer, 601
——, The treatment of metastatic pleural effusion in — cancer, report of 25 cases, 611
——, High-dose medroxyprogesterone in disseminated — cancer. Correlation between bioavailability and clinical response, 617
Bronchial tree, Non-Hodgkin's lymphoma primarily involving the —, 593
Bronchogenic carcinoma, Five-year recurrence probabilities in 330 patients curatively resected for stage Ia — —, 131
Burkitt, — like lymphoid malignancy presenting as a breast tumor, 167
——, Case report of a — like lymphoma in a bisexual HIV-positive man, 397
Busulfan, Malignant melanoma of the glans penis in a chronic myeloid leukemia patient after — therapy, 645
Cancer death, The probability of — in Italian males and females, 91
——, Cancer mortality in Italy, 1981, 321
Carboplatin, Enzymuria in — nephrotoxicity, 487
Carcinoma, Phase II trial of weekly 4'epi-doxorubicin (epirubicin) in squamous cell — of the head and neck, 65
——, Anthracycline in colorectal —. An in vitro short-term assay to predict drug sensitivity, 69
——, Five-year recurrence probabilities in 330 patients curatively resected for stage Ia bronchogenic —, 131
——, Preoperative chemotherapy and radiotherapy in the management of epidermoid — of the anal canal, 151
——, Adjuvant treatment with melphalan in ovarian — with no residual disease following surgery, 157
——, A thyroid metastasis revealing an occult renal clear-cell —, 187
——, Apparently nonfunctioning metastases of parathyroid —, 191
——, A light microscopic and ultrastructural study of spindle-shaped hepatocellular —, 195
——, Spontaneous massive necrosis of a hepatocellular —, 203
——, Hyperplasia and metaplasia of ovarian surface epithelium in women with endometrial —. Suggestion for a hormonal influence in ovarian carcinogenesis, 249
——, A clinico-pathologic study of clear-cell hepatocellular —, 389
——, Anal squamous cell — arising on radio-dermatitis cured with chemotherapy alone: Case report, 423
——, 240 hepatocellular —: ultrasound features, tumor size, cytologic and histologic patterns, serum alpha-fetoprotein and HBs Ag, 507
——, Synchronous triple — of the lung in one patient, 525
——, Sebaceous — arising from the eyelid and from extra-ocular sites, 531
——, Prognostic value of computerized DNA analysis in non-invasive papillary — of the urinary bladder, 567
Cardiac tamponade, Intracavitary cisplatin in malignant —, 163
Cardiotoxicity, The role of histamine in doxorubicin and teniposide-induced — in dog and mouse, 279
——, — during chemotherapy for advanced gastroenteric tumors, 359
Chest, — x-ray survey in breast cancer follow-up, — a contrary view, 463

Childhood cancer, Neurofibromatosis and malignant — —: a survey in Italy, 1970-83, 209
——, Undifferentiated (embryonal) sarcoma of the liver in —: Results of a retrospective Italian study, 213
Chlorambucil, Lymphoproliferative disorder of large granular lymphocytes: reversal of lymphocyte proliferation, anemia and neutropenia with —, 117
Chromosome, Comparison of — aberration frequenc before and after administration of ^{131}I in two groups of thyroid patients, 257
——, Trisomy 21 in acute promyelocytic leukemia, 403
——, Unusual interstitial deletion of the 8q12 band in a case of acute monocytic leukemia, 437
——, Chronic lymphocytic leukemia (B-CLL) in the course of polycythemia vera. Description of a case with an unusual chromosomic anomaly, 639
Cisplatin, Intracavitary — in malignant cardiac tamponade, 163
——, — and low-dose cytosine arabinoside in advanced cancer, 493
——, Phase II trial of mitomycin plus — in the treatment of advanced colorectal adenocarcinoma, 505
——, — and radiotherapy in the treatment of unresectable lung cancer, 623
——, Radiotherapy versus radiotherapy plus — treatment for locally advanced non-small cell lung cancer. Preliminary results of a randomized study, 627
——, A preliminary clinical experience with reduced glutathione as protector aginst — toxicity, 337
——, High dose — in the outpatient clinic: a feasibility study, 341
——, The role of combination cyclophosphamide, doxorubicin and — (CAP) chemotherapy in advanced non-small-cell lung cancer, 345
Citrovorum, Methotrexate with — factor in low-risk gestational trophoblastic tumor, 309
CO_2 laser, Comparison of results with — and traditional surgical treatment of stage I malignant melanoma, 127
Colorectum, Anthracycline in colorectal carcinoma: an in vitro short-term assay to predict drug sensitivity, 69
——, Preoperative chemotherapy and radiotherapy in the management of epidermoid carcinoma of the anal canal, 151
——, Anal squamous cell carcinoma arising on radiodermatitis cured with chemotherapy alone: case report, 423
——, Phase II trial of mitomycin plus cisplatin in the treatment of advanced colorectal adenocarcinoma, 505
Curcumin, Turmeric and — as topical agents in cancer therapy, 29
Cyclophosphamide, —, methotrexate, 5-fluorouracil, alternating with adriamycin and mitomycin C in metastatic breast cancer. A pilot study, 303
——, The role of combination —, doxorubicin and cisplatin (CAP) chemotherapy in advanced non-small-cell lung cancer, 345
——, Early onset diagnosis of lung toxicity caused by —, melphalan and procarbazine therapy, 351
——, Adjuvant chemotherapy with adriamycin, fluorouracil, — methotrexate, with or without tamoxifen in operable breast cancer, 467
Cytosine arabinoside, Cisplatin and low-dose — in advanced cancer, 493
Cytostatic treatments, Aminoglutethimide in postmenopausal breast cancer refractory to multiple hormonal and —, 309
Dermatitis, Anal squamous cell carcinoma arising on radio — cured with chemotherapy alone: case report, 423
DNA, Prognostic value of computerized — analysis in non-invasive papillary carcinoma of the urinary bladder, 567
Doxorubicin, The role of histamine in — and teniposide-induced cardiotoxicity in dog and mouse, 279
——, The role of combination cyclophosphamide, — and cisplatin (CAP), chemotherapy in advance non-small-cell lung cancer, 345
DTIC, Prognostic factors in advanced metastatic and recurrent melanoma treated with —, 49
Duodenum, Gangliocytic paraganglioma of the —, Case report, 425

Embryonal sarcoma, Undifferentiated (—) of the liver in childhood. Results of a retrospective Italian study, 213
Endocervix, Blue nevus of the —, 75
Endometrium, Epithelial neoplasia of the — in pregnancy. A case report, 175
——, Hyperplasia and metaplasia of ovarian surface epithelium in women with endometrial carcinoma. Suggestion for a hormonal influence in ovarian carcinogenesis, 249
Enzymuria, — in carboplatin nephrotoxicity, 487
Epidemiology, The probability of cancer death in Italian males and females, 91
——, Cytodiagnosis of gastric cancer by brushing: 1978-1983, 147
——, Neurofibromatosis and malignant childhood cancers. A survey in Italy, 1970-83, 209
——, Undifferentiated (embryonal) sarcoma of the liver in childhood. Results of a retrospective Italian study, 213
——, Incidence of breast cancer in Piedmont, 1978-1981, 219
——, Cancer of the breast in women born in southern Italy and who migrated to the city of Torino, 229
——, Cancer mortality in Italy, 1981, 321
Epidermoid carcinoma, Preoperative chemotherapy and radiotherapy in the management of — of the anal canal, 151
Esophageal cancer, Current results of — surgery. Time trends in operative mortality and long term survival, 139
Eye, Sebaceous carcinoma arising from the eyelid and from extra-ocular sites, 531
Ferritin, Measurement of — bearing lymphocytes in man. Preliminary studies on the use of monoclonal antibodies specific for the L and H subunits of —, 37
——, Significance of — as a marker in head and neck malignancies, 59
5-*fluorouracil*, Cyclophosphamide, methotrexate, —, alternating with adriamycin and mitomycin C in metastatic breast cancer: A pilot study, 303
——, Adjuvant chemotherapy with adriamycin, —, cyclophosphamide, methotrexate, with or without tamoxifen in operable breast cancer, 467
——, Results of two controlled studies on antiemetic combination against vomiting induced by —, 499
4'-epi-doxorubicin, Epirubicin in combination chemotherapy in the treatment of advanced stage non-Hodgkin's lymphomas, 43
——, Phase II trial of weekly — (epirubicin) in squamous cell carcinoma of the head and neck, 65
Friend leukemic cells, In vitro and in vivo studies of poly-L-lysine as inducer of — differentiation, 431
Gangliocytic paraganglioma, — — of the duodenum: Case report, 425
Gastric cancer, Cytodiagnosis of — by brushing, 1978-1983, 147
Gastrointestinal tumors, The determination of urinary oxypurines as markers of —, 289
——, Cardiotoxicity during chemotherapy for advanced gastroenteric tumors, 359
Glutathione, A preliminary clinical experience with reduced — as protector against cisplatin toxicity, 337
Head and neck, Significance of ferritin as a marker in — malignancies, 59
——, Phase II trial of weekly 4'-epi-doxorubicin (epirubicin) in squamous cell carcinoma of the —, 65
Heat shock, Constitutive and induced synthesis of — proteins in transplantable hepatomas, 559
Hemothorax, — in congenital neuroblastoma, 81
Hepatocellular carcinoma, A light microscopic and ultrastructural study of spindle-shaped —, 195
——, Spontaneous massive necrosis of a —, 203
——, A clinico-pathologic study of clear-cell —, 389
——, 240 —; ultrasound features, tumor size, cytologic and histologic patterns, serum alpha-fetoprotein and HBs Ag, 507
Hepatoma, Constitutive and induced synthesis of heat shock proteins in transplantable —, 559
Histamine, The role of — in doxorubicin and teniposide-induced cardiotoxicity in dog and mouse, 279

Hormone, Acute effects of various chemotherapeutic combinations of hypophyseal and *pineal — secretions in cancer patients*, 181
——, Hyperplasia and metaplasia of ovarian surface epithelium in women with endometrial carcinoma. Suggestion for a hormonal influence in ovarian carcinogenesis, 249
——, Correlation between changes in prolactin and melatonin serum levels after *radical mastectomy*, 263
——, Aminoglutethimide in postmenopausal breast cancer refractory to multiple hormonal and cytostatic treatments, 369
——, Syndrome of inappropriate antidiuretic — secretion associated with hepatic arterial infusion of vinblastine in three patients with breast cancer, 513
——, Clinical study of melatonin in untreatable advanced cancer patients, 475
——, An unusual case of primary — secreting germ cell tumor of the retroperitoneum, 517
H subunits, Measurements of ferritin-bearing lymphocytes in man. Preliminary studies on the use of monoclonal antibodies specific for the L and — of ferritin, 37
Hyperthermia, Applicability of local — as adjuvant to systemic chemotherapy, 629
Interferon, Sequential treatment with — and chemotherapy of metastatic malignant melanoma. Total remission of cutaneous and visceral metastasis, but not of cerebral metastasis, 55
——, *Diminished production of interleukin 2 and gamma — by cloned « T » cells* from patients with the acquired immunodeficiency syndrome (AIDS), 273
Interleukin, Growth inhibition of murine colonic adenocarcinoma by tumor immune but not by IL-2 activated or alloactivated lymphocytes, 1
——, Diminished production of —2 and gamma-interferon by cloned « T » cells from patients with the acquired immunodeficiency syndrome (AIDS), 273
——, A phase II study of recombinant —2 in melanoma patients, 575
Irradiation, Topical administration of tetrasodium-meso-tetraphenylporphinesulfonate (TPPS): correlation between drug penetration and depth of necrosis in skin of nude mice following red light —, 11
——, Topical administration of tetrasodium-meso-tetraphenylporphinesulfonate (TPPS) and red light — for the treatment of superficial neoplastic lesions, 19
Kidney, A thyroid metastasis revealing an occult renal clear-cell carcinoma, 187
Larynx, Atypical carcinoid of the —. Case report, 417
Leukemia, Secondary acute non lymphoid — in patients treated for non-Hodgkin's lymphoma: no risk of therapy-related ANLL after PROVECIP schedule, 363
——, *Trisomy 21 in acute promyelocytic —*, 403
——, In vitro and in vivo studies of poly-L-lysine as inducer of Friend leukemic cells differentiation, 431
——, Unusual interstitial deletion of the 8q12 band in case of acute monocytic —, 437
——, Heterotransplantation of human acute-T-lymphoblastic — in nude mice, 537
——, *Chronic lymphocyte — (B-CLL) in the course of polycythemia vera. Description* of a case with an unusual cromosomic anomaly, 639
——, Malignant melanoma of the glans penis in a chronic myeloid — patient after Busulfan therapy, 645
Liver, Undifferentiated (embryonal) sarcoma of the — in childhood: Results of a retrospective Italian study, 213
——, Inflammatory pseudotumor of the —, 407
Lung, The role of combination cyclophosphamide, doxorubicin and cisplatin (CAP) chemotherapy in advanced non-small-cell — cancer, 345
——, Early-onset diagnosis of — toxicity caused by cyclophosphamide, melphalan and procarbazine therapy, 351
——, Synchronous triple carcinoma of the — in one patient, 525
——, Radiotherapy versus radiotherapy plus cisplatin treatment for locally advanced non small cell — cancer. Preliminary results of a randomized study, 627
——, *Cisplatin and radiotherapy in the treatment of unresectable — cancer*, 623
Lymphocytes, Growth inhibition of murine colonic adenocarcinoma by tumor immune but not by IL-2 activated or alloactivated lymphocytes, 1
——, Measurement of ferritin-bearing — in man. Preliminary studies on the use of monoclonal antibodies specific for the L and H subunits of ferritin, 37

Lymphocytes, Lymphoproliferative disorder of large granular —: reversal of — proliferation, anemia and neutropenia with chlorambucil, 117
Lymphoma, Primary — of the brain: A clinico-pathologic review of 37 cases, 585
Melanoma, Prognostic factors in advanced metastatic and recurrent — treated with DTIC, 49
——, Prognosis for localized cutaneous — treated with wide excision only, with special reference to development of regional node metastases, 51
——, Sequential treatment with interferon and chemotherapy of metastatic malignant —. Total remission of cutaneous and visceral metastases, but not of cerebral metastasis, 55
——, Comparison of results with CO_2 laser traditional surgical treatment of stage I malignant —, 127
——, Immunohistochemical localization of — - associated antigen p94 kd200 with the use of a modified avidin-biotin complex lectin method, 451
——, A face I study of recombinant interleukin 2 in — patients. Toxicity and clinical effects, 575
——, Malignant — of the glans penis in a chronic myeloid leukemia patient after busulfan therapy, 645
Melatonin, Correlation between changes in prolactin and — serum levels after radical mastectomy, 263
——, Clinical study of — in untreatable advanced cancer patients, 475
Medroxyprogesterone, High-dose — in disseminated breast cancer. Correlation between bioavailability and clinical response, 617
Melphalan, Adjuvant treatment with — in ovarian carcinoma with no residual disease following surgery, 157
——, Early-onset diagnosis of lung toxicity caused by cyclophosphamide — and procarbazine therapy, 351
Methotrexate, Cyclophosphamide, —, 5-fluorouracil, alternating with adriamycin and mitomycin C in metastatic breast cancer, 303
——, — with citrovorum factor in low-risk gestational trophoblastic tumor, 309
——, Adjuvant chemotherapy with adriamycin, fluorouracil, cyclophosphamide, —, with or without tamoxifen in operable breast cancer, 467
Mice, Growth inhibition of murine colonic adenocarcinoma by tumor immune but not by IL-2-activated or alloactivated lymphocytes, 1
——, Topical administration of tetrasodium-meso-tetraphenylporphinesulfonate (TPPS): correlation between drug penetration and depth of necrosis in skin of nude — following red light irradiation, 11
——, Carcinogenic effects of infantile and long-term 2,3,7,8-tetrachlorodibenzo-p-dioxin treatment in the mouse, 99
——, Interaction of heat with chemotherapy in human and murine cell lines, 109
——, The role of histamine in doxorubicin and teniposide-induced cardiotoxicity in dog and mouse, 279
——, Heterotransplantation of human acute lymphoblastic leukemia in nude —, 537
Mitomycin, Cyclophosphamide, methotrexate, 5-fluorouracil, alternating with adriamycin and — in metastatic breast cancer, 303
——, Phase II trial of — plus cisplatin in the treatment of advanced colorectal adenocarcinoma, 505
Monoclonal antibodies, Measurement of ferritin-bearing lymphocytes in man. Preliminary studies on the use of — specific for the L and H subunits of ferritin, 37
——, The effect of human serum on the binding activity of radiolabelled —, 547
Monoclonal gammopathies, Serum thymidine kinase and beta-2-microglobulin in —, 445
Myeloma, Practical importance of routine paraffin-embedded bone marrow biopsy in multiple —, 315
Nephrotoxicity, Enzymuria in carboplatin —, 487
Neuroblastoma, Hemothorax in congenital —, 81
Neurofibromatosis, — and malignant childhood cancers. A survey in Italy, 1970-83, 209
Neutropenia, Lymphoproliferative disorder of large granular lymphocytes: reversal of lymphocyte proliferation, anemia and — with chlorambucil, 117

Non-Hodgkin's lymphoma, Epirubicin in combination chemotherapy in the treatment of advanced stage of —, 43
——, Intensive chemotherapy regimen in high-grade —, 121
——, Secondary acute non lymphoid leukemia in patients treated for —: no risk of therapy-related ANLL after PROVECIP schedule, 363
——, — associated with sickle cell disease: a case report, 523
——, — primarily involving the bronchial tree, 593
Nutritional status, Impact of hospitalization on the — of cancer patients, 375
Osteosarcoma, Prognostic value of serum alkaline phosphatase in —, 331
Ovary, Adjuvant treatment with melphalan in ovarian carcinoma with no residual disease following surgery, 157
——, Hyperplasia and metaplasia of ovarian surface epithelium in women with endometrial carcinoma. Suggestion for a hormonal influence in ovarian carcinogenesis, 249
——, Comparison of CA 125 and placental alkaline phosphatase as ovarian tumor markers, 301
——, Ovarian cancer: ten-year experience in a community hospital, 381
——, Morphologic heterogeneity of cell populations isolated by density gradient centrifugation from serous fluids of ovarian tumors, 539
Oxypurines, The determination of urinary — as markers of gastrointestinal tumors, 289
Parathyroid, Apparently nonfunctioning metastases of — carcinoma, 191
Penis, Malignant melanoma of the glans — in a chronic myeloid leukemia patient after busulfan therapy, 645
Pleural effusion, Tissue polypeptide antigen (TPA) in —, 33
——, The treatment of metastatic — in breast cancer, Report of 25 cases, 611
Polarography, — of Walker tumor submitted to radiotherapy, 555
Polycytemia, Chronic lymphocytic leukemia in the course of — vera: description of a case with an unusual chromosomic anomaly, 639
Poly-L-lysine, In vitro and in vivo studies of — as inducer of Friend leukemic cells differentiation, 431
Pregnancy, Epithelial neoplasia of the endometrium in —, 175
Procarbazine, Early-onset diagnosis of lung toxicity caused by cyclophosphamide, melphalan and — therapy, 351
Prolactin, Correlation between changes in — and melatonin serum levels after radical mastectomy, 263
Protein, Interaction of heat with chemotherapy in vitro: effect on cell viability and — synthesis in human and murine cell lines, 109
——, « 4S » polycyclic aromatic hydrocarbon binding —, further characterization and kinetic properties, 237
——, Costitutive and induced synthesis of heat shock — in transplantable hepatomas, 559
PROVECIP, Secondary acute non lymphoid leukemia in patients treated for non-Hodgkin's lymphoma: no risk of therapy-related ANLL after — schedules, 363
Pseudotumor, Inflammatory — of the liver: report of two cases, 407
Pyridine nucleotides, Adenine and — in the red blood cells of subjects with solid tumors, 25
Radiotherapy, Preoperative chemotherapy and — in the management of epidermoid carcinoma of the anal canal, 151
——, — versus — plus cisplatin treatment for locally advanced non small cell lung cancer: Preliminary results of a randomized study, 627
——, Cisplatin and — in the treatment of unresectable lung cancer, 623
——, Polarography of Walker tumor submitted to —, 555
Retroperitoneum, An unusual case of primary hormone-secreting germ cell tumor of the —, 517
« *Salmonella minnesota* », Pilot study of intravenous administration of the acid-treated — R595 (Re) in cancer patients, 481
Sarcoma, Undifferentiated (embryonal) — of the liver in childhood. Results of a retrospective Italian study, 213

Sertoli cell tumor, — of the testis, light microscopic, immunocytochemical and ultrastructural study, 649
Sickle cell, Non-Hodgkin's lymphoma associated with — disease. A case report, 523
Squamous cell carcinoma, Phase II trial of weekly 4'-epi-doxorubicin (epirubicin) in — of the head and neck, 65
Submaxillary gland, Metastases to the — from breast cancer, Case report, 413
Tamoxifen, Adjuvant chemotherapy with adriamycin, fluorouracil, cyclophosphamide, methotrexate, with or without — in operable breast cancer, 467
Teniposide, The role of histamine in doxorubicin and — induce cardiotoxicity in dog and mouse, 279
Testis, Sertoli cell tumor of the —: light microscopic, immunocytochemical and ultrastructural study, 649
Tetrachlorodibenzo-p-dioxin, Carcinogenic effects of infantile and long-term 2,3,7,8 — treatment in the mouse, 99
Tetrasodium, Topical administration of — meso-tetraphenylporphinesulfonate (TPPS): correlation between drug penetration and depth of necrosis in skin of nude mice following red light irradiation, 11
——, Topical administration of — -meso-tetraphenylporphinesulfonate (TPPS) and red light irradiation for the treatment of superficial neoplastic lesions, 19
Thymidine, Serum — kinase and beta-2-microglobulin in monoclonal gammopathies, 445
Thyroid, A — metastasis revealing an occult renal clear-cell carcinoma, 187
——, Comparison of a chromosome aberration frequency before and after administration of ^{131}I in two groups of — cancer patients, 257
TPA, Tissue polypeptide antigen (—) in pleural effusions, 33
Tumor cell plasma, Effects of tumor necrosis factor on — membrane permeability, 269
Turmeric, — and curcumin as topical agents in cancer therapy, 29
Urology, The determination of urinary oxypurines as markers of gastrointestinal tumors, 289
——, Proliferative activity in human urologic malignancies, 295
——, Prognostic value of computerized DNA analysis in non-invasive papillary carcinoma of the urinary bladder, 567
Vinblastine, Syndrome of inappropriate antidiuretic hormone secretion associated with hepatic arterial infusion of — in three patients with breast cancer, 513
Walker tumor, Polarography of — submitted to radiotherapy, 555
Wilm's tumor, Bilateral rhabdomyomatous tumor relapsed as typical triphasic —, 85

Stabilimento Grafico Scotti S.p.A. - Milano Direttore responsabile: Prof. UMBERTO VERONESI
Autorizzazione del Tribunale di Milano in data 18 ottobre 1948 n. 704 del Registro